

Bombas Sun Pumps

BOMBA SUMERGIBLE SIN ESCOBILLAS			1 HP		MODELO SCS 18 - 160	
PSI	CDT METROS	LPM	VOLTAJE CD MOTOR	CORRIENTE MOTOR	WATTS MOTOR	EFICIENCIA
0	0.0	56.8	45	2.80	126	0%
5	3.5	47.3	45	2.77	125	22%
10	7.0	37.9	45	2.69	121	36%
15	10.6	22.7	45	2.43	109	36%
20	14.1	0.0	45	1.81	81	0%

Controlador PCB120LM1

BOMBA SUMERGIBLE SIN ESCOBILLAS			1 HP		MODELO SCS 18 - 160	
PSI	CDT METROS	LPM	VOLTAJE CD MOTOR	CORRIENTE MOTOR	WATTS MOTOR	EFICIENCIA
0	0.0	68.9	60	4.30	258	0%
10	7.0	58.3	60	4.29	257	26%
20	14.1	41.6	60	4.05	243	39%
30	21.1	15.1	60	3.36	202	26%
40	28.2	0.0	60	2.89	173	0%

Controlador PCB120LM1

BOMBA SUMERGIBLE SIN ESCOBILLAS			1 HP		MODELO SCS 18 - 160	
PSI	CDT METROS	LPM	VOLTAJE CD MOTOR	CORRIENTE MOTOR	WATTS MOTOR	EFICIENCIA
0	0.0	85.2	75	5.65	424	0%
10	7.0	74.9	75	5.63	422	20%
20	14.1	63.6	75	5.55	416	35%
30	21.1	49.2	75	5.28	395	43%
40	28.2	27.3	75	4.70	353	36%
50	35.2	0.0	75	3.76	282	0%

Controlador PCB120LM1

BOMBA SUMERGIBLE SIN ESCOBILLAS			1 HP		MODELO SCS 18 - 160	
PSI	CDT METROS	LPM	VOLTAJE CD MOTOR	CORRIENTE MOTOR	WATTS MOTOR	EFICIENCIA
0	0.0	98.4	90	6.99	629	0%
10	7.0	90.1	90	6.97	627	17%
20	14.1	79.9	90	6.95	626	29%
30	21.1	68.5	90	6.81	613	39%
40	28.2	56.0	90	6.55	590	44%
50	35.2	41.3	90	6.11	550	43%
60	42.3	22.7	90	5.43	489	32%
70	49.3	0.0	90	4.66	419	0%

Controlador PCB120LM1

BOMBA SUMERGIBLE SIN ESCOBILLAS			1 HP		MODELO SCS 18 - 160	
PSI	CDT METROS	LPM	VOLTAJE MOTOR	CORRIENTE MOTOR	WATTS MOTOR	EFICIENCIA
0	0.0	109.8	105	8.38	880	0%
10	7.0	102.2	105	8.35	877	13%
20	14.1	94.6	105	8.32	874	25%
30	21.1	85.5	105	8.24	865	34%
40	28.2	75.7	105	8.08	848	41%
50	35.2	64.3	105	7.82	821	45%
60	42.3	54.5	105	7.46	783	45%
70	49.3	34.1	105	6.89	723	38%
80	56.3	12.5	105	6.15	646	18%
90	63.4	0.0	105	5.55	583	0%

BOMBA SUMERGIBLE SIN ESCOBILLAS			1 HP		MODELO SCS 18 - 160	
PSI	CDT METROS	LPM	VOLTAJE MOTOR	CORRIENTE MOTOR	WATTS MOTOR	EFICIENCIA
0	0.0	124.9	120	9.72	1166	0%
10	7.0	117.3	120	9.70	1164	12%
20	14.1	109.8	120	9.68	1162	22%
30	21.1	102.2	120	9.66	1159	30%
40	28.2	94.6	120	9.55	1146	38%
50	35.2	85.9	120	9.38	1126	44%
60	42.3	75.7	120	9.13	1096	48%
70	49.3	63.6	120	8.80	1056	48%
80	56.3	49.2	120	8.33	1000	45%
90	63.4	39.7	120	7.87	944	34%
100	70.4	10.6	120	6.97	836	15%
110	77.5	0.0	120	6.44	773	0%

Para mayor información escriba a: raruiz@syscom.com.mx

Bombas Sumergibles SUN PUMPS Modelo SCS 18-160

